

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12	("20020017666"   "20020050962"   "20020101527"   "5043946"   "5075888"   "5140552"   "5181188"   "5416516"   "5953061"   "6400448"   "6492694"   "6586771").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 10:22
S1	2	"5,710446".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:13
S2	2	"5,808937".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:10
S3	2	"6,760070".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 14:11
S4	45	("6,741283" "6,731397" "6,727521" "6,697114" "6,636261" "6,632701" "6,606120" "6,525304" "6,512544" "6,476372" "6,452633" "6,410899" "6,369853" "6,246043" "6,211510" "6,160282" "6,088058" "6,018365" "6,002432" "5,982012" "5,965875" "5,962844" "5,932873").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:41
S5	4	("4716466"   "4760558"   "5053872"   "5191398").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/07 14:29
S6	6	drain same source same float\$3 same (control with gate) same (reset with transistor) same photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/07 14:34
S7	11	drain same source same float\$3 same control same (reset with transistor) same photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:08
S8	17	("5118924"   "5298366"   "5300263"   "5384231"   "5420634"   "5453876"   "5479049"   "5559336"   "5610390"   "5666175"   "5693967"   "5701008"   "5796154"   "5844289"   "6040591"   "6104021"   "6171883").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 08:59

S9	4	drain same source same float\$3 same control same connect\$2 same (reset with transistor) same photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:11
S10	1	drain same source same float\$3 same control same connect\$2 same (reset with transistor) same photodiode same (reset with pulse\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:16
S11	1	drain same source same (float\$3 with gate) same (control with gate) same connect\$2 same (reset with transistor) same photodiode same (reset with pulse\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:17
S12	4	drain same source same (float\$3 with gate) same (control with gate) same connect\$2 and (reset with transistor) and photodiode and (reset with pulse\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:24
S13	6	("5122881"   "5146339"   "5335008"   "5420631"   "5539196"   "5587738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:23
S15	4	drain and source and (float\$3 adj gate) and (control adj gate) and connect\$2 and (reset with transistor) and photodiode and (reset with pulse\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:20
S16	10	("4360821"   "5260592"   "5349216"   "5514887"   "5587595"   "5608243"   "5945722"   "5952686"   "6147372"   "6307195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:39
S17	6	("5122881"   "5146339"   "5335008"   "5420631"   "5539196"   "5587738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:43
S18	2	("5191398"   "5289023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:49
S19	10	("4360821"   "5260592"   "5349216"   "5514887"   "5587595"   "5608243"   "5945722"   "5952686"   "6147372"   "6307195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:49
S20	4	("5307169"   "5408113"   "5587596"   "5608243").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 10:45
S21	1	"6,501109".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 10:50

S22	1	"5,587596".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 10:50
S23	75	("3866067"   "3934161"   "3971065"   "3988619"   "4011016"   "4236760"   "4238760"   "4309604"   "4363963"   "4473836"   "4499529"   "4499590"   "4573077"   "4613895"   "4626915"   "4651001"   "4654714"   "4677289"   "4704633"   "4734776"   "4742238"   "4786818"   "4809075"   "4839735"   "4845553"   "4875091"   "4901129"   "4942473"   "5014107"   "5021853"   "5038214"   "5055418"   "5117292"   "5161024"   "5227887"   "5241575"   "5276521"   "5289023"   "5317174"   "5335015"   "5341008"   "5355165"   "5396289"   "5397734"   "5414464"   "5414465"   "5414683"   "5424223"   "5428390"   "5434620"   "5436661"   "5461425"   "5471245"   "5502299"   "5541402"   "5541654"   "5547881"   "5572074"   "5576763"   "5589423"   "5625210"   "5631704"   "5668596"   "5705441"   "5712682"   "5739562"   "5742058"   "5801657"   "5883421"   "5965875"   "6078037"   "6115066"   "6246436"   "6348681"   "6512544").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 10:57
S24	4	("3866067"   "4395736"   "5335015"   "5471245").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 11:10
S25	5	("5448056"   "5541402"   "5576763"   "5608243"   "5739562").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 11:17

S26	75	("3866067"   "3934161"   "3971065"   "3988619"   "4011016"   "4236760"   "4238760"   "4309604"   "4363963"   "4395736"   "4473836"   "4499529"   "4499590"   "4573077"   "4613895"   "4626915"   "4651001"   "4654714"   "4677289"   "4704633"   "4734776"   "4742238"   "4786818"   "4809075"   "4839735"   "4845553"   "4875091"   "4901129"   "4908651"   "4942473"   "5014107"   "5021853"   "5038214"   "5055418"   "5117292"   "5161024"   "5227887"   "5241575"   "5276521"   "5289023"   "5317174"   "5335015"   "5341008"   "5355165"   "5396289"   "5397734"   "5414464"   "5414465"   "5414683"   "5424223"   "5428390"   "5434620"   "5461425"   "5471245"   "5502299"   "5541402"   "5541654"   "5547881"   "5572074"   "5576763"   "5589423"   "5625210"   "5631704"   "5668596"   "5705441"   "5712682"   "5739562"   "5742058"   "5801657"   "5883421"   "5949061"   "6078037"   "6097022"   "6115066"   "6211510").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 11:19
S27	10	("4360821"   "5260592"   "5349216"   "5514887"   "5587595"   "5608243"   "5945722"   "5952686"   "6147372"   "6307195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 13:22
S28	2	("5191398"   "5289023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 13:56
S29	3	drain same source same float\$3 same control and (reset with transistor) and photodiode and photon	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 14:06
S30	1	drain and source and (float\$3 adj gate) and (control adj gate) and (reset with transistor) and photodiode and photon	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 14:07

S31	10	("4360821"   "5260592"   "5349216"   "5514887"   "5587595"   "5608243"   "5945722"   "5952686"   "6147372"   "6307195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 14:29
S32	3	"6,501,109".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 09:05
S33	2	"6,211510".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 09:06
S34	1	10/748405	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 09:06
S35	3	(non-volatile or non\$volatile or flash) and drain same source same float\$3 same control same (reset with transistor) same photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:47
S36	1	"5,710446".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:13
S37	3	(non-volatile or non\$volatile or flash) same (reset with transistor) same photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:40
S39	1	"6,347054".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:37
S40	1	"6,323054".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:37
S41	6	("6040593"   "6194258"   "6306678"   "6323054"   "6347054"   "6486521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:38
S42	2	("3706911"   "3999193").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:39
S43	8	("20020167465"   "3971065"   "4565756"   "4685451"   "4922333"   "5604530"   "6137100"   "6292212").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:39
S44	214	(non-volatile or non\$volatile or flash) and (reset with transistor) and photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:40

S45	2	"365"/\$.ccls. and (non-volatile or non\$volatile or flash) and (reset with transistor) and photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:45
S46	12	("20020017666"   "20020050962"   "20020101527"   "5043946"   "5075888"   "5140552"   "5181188"   "5416516"   "5953061"   "6400448"   "6492694"   "6586771").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:42
S47	130	(non-volatile or non\$volatile or flash) and (reset with transistor) and photodiode and drain and source and gate	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 09:46
S48	11	(non-volatile or non\$volatile or flash) and drain and source and (float\$3 with gate) and (control with gate) and (reset with transistor) and photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 10:47
S49	1	10/322603	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/10 13:43
S50	1	10/358124	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 08:02
S51	1	"5,710446".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 09:01
S53	5901	(nonvolatile or (non adj volatile)) with (floating near gate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 15:42
S54	3088	"365"/\$.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 09:07
S55	1550	"365"/\$.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate) same (control\$4 near gate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 13:07
S56	3	"365"/\$.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate) same (control\$4 near gate) same (reset with transistor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 09:57
S57	2	("5768215"   "5835956").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 09:20
S58	1	10/660772	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 09:57

S59	403	365/185.19,185.26,185.01,185.03.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate) same (control\$4 near gate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 13:52
S60	226	365/185.19,185.26,185.01,185.03.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate) same (control\$4 near gate) and pulse\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 15:39
S61	22	365/185.19,185.26,185.01,185.03.ccls. and (nonvolatile or (non adj volatile)) with (floating near gate) same (control\$4 near gate) same pulse\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 13:56
S62	4	("5790460"   "6122196"   "6219281"   "6404681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 14:04
S63	1	("Re32401").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/11 14:05
S64	270	Tempel.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 07:22
S65	23	Tempel.in. and non-volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 07:20
S66	15	(image near4 sensor) same ((reset adj2 transistor) with pulse) same photodiode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 13:56
S67	3	("4831454"   "5406332"   "6320616").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 13:53
S68	15	(image with sensor) same ((reset adj2 transistor) with pulse) same photodiode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 13:55
S69	15	((image near4 sensor) or (digital adj4 camera)) same ((reset adj2 transistor) with pulse) same photodiode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:00

S70	130	((image near4 sensor) or (digital adj4 camera)) and ((reset adj2 transistor) with pulse) and photodiode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:40
S71	13	((image near4 sensor) or (digital adj4 camera)) and ((reset adj2 transistor) with pulse) and photodiode and (non-volatile or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:12
S72	5	("5448056"   "5541402"   "5576763"   "5608243"   "5739562").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 14:04
S73	12	(image near4 sensor) and ((reset adj2 transistor) with pulse) and photodiode and (non-volatile or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:06
S74	130	((image near4 sensor) or (digital adj4 camera)) and ((reset adj2 transistor) with pulse) and photodiode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 14:12
S75	11	("3934161"   "4663667"   "4831453"   "4835617"   "5003394"   "5055667"   "5182658"   "5233428"   "5257108"   "5264940"   "5539460").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 14:26
S76	47	("6,760070" "6,741283" "6,731397" "6,727521" "6,697114" "6,636261" "6,632701" "6,606120" "6,525304" "6,512544" "6,476372" "6,452633" "6,410899" "6,369853" "6,246043" "6,211510" "6,160282" "6,088058" "6,018365" "6,002432" "5,982012" "5,965875" "5,962844" "5,932873").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:38
S79	3	(nonvolatile or (non adj volatile)) with (floating adj2 gate) and (reset adj2 transistor) and photodiode	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/01 15:43